


Sunmed

Client Lic#:
600 8th Ave W, STE 500 Palmetto, FL
34221

Sunmed

Compliance for Retail: **PASS****GLP-1 Powder Capsule**

Sample ID: T5L0527-01 CCB ID: 1225GLP1
Matrix: Edibles

Total Sample Received:
Total Units Received: 1

Date Sampled: 12/15/2025
Date Received: 12/15/2025
Date Reported: 12/21/2025

Safety Summary

Foreign Materials PASS	Heavy Metals PASS	Microbials PASS	Moisture Content NOT TESTED	Mycotoxins PASS
Pesticides PASS	Residual Solvents PASS	Terpenes NOT TESTED	Water Activity PASS	Vitamins Supplements NOT TESTED

Potency Summary

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director




1 of 4

Sunmed

Client Lic#:
600 8th Ave W, STE 500 Palmetto, FL
34221

Sunmed

Compliance for Retail: **PASS****GLP-1 Powder Capsule**

Total Sample Received:

Date Sampled: 12/15/2025

Total Units Received: 1

Date Received: 12/15/2025

Sample ID: T5L0527-01 CCB ID: 1225GLP1

Matrix: Edibles

Date Reported: 12/21/2025

Pesticides

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
	2551027	LC/MS/MS	12/16/2025 7:56:00PM	2670-10866	12/16/2025 9:07:00AM	4599	1.00	SOP1350
*	2551028	GC/MS/MS	12/16/2025 4:06:33PM	2670	12/16/2025 9:08:00AM	4599	1.00	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
			ppb	ppb	ppb				ppb	ppb	ppb
Abamectin	1	300	30.0	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acephate	1	3000	300	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Malathion	1	2000	200	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Bifenthrin	1	500	50.0	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Boscalid	1	3000	300	ND	Pass	Naled	1	500	50.0	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Paclbutrazol	1	100	10.0	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chlormequat Chloride	1	3000	300	ND	Pass	Phosmet	1	200	20.0	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	500	50.0	ND	Pass	Prallethrin	1	400	40.0	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Diazinon	1	200	20.0	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Ethoprophos	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Etoxazole	1	1500	150	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenoxy carb	1	100	10.0	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Penpyroximate	1	2000	200	ND	Pass	Captan*	1	3000	300	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Flonicamid	1	2000	200	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Pentachloronitrobenzene*	1	200	20.0	ND	Pass
Imazalil	1	100	10.0	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GC/MS/MS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com



Brian C. Spann
Laboratory Director




2 of 4

Sunmed

Client Lic#:
600 8th Ave W, STE 500 Palmetto, FL
34221

Sunmed

Compliance for Retail: **PASS****GLP-1 Powder Capsule**

Sample ID: T5L0527-01 CCB ID: 1225GLP1
Matrix: Edibles

Mycotoxins

Date Prepared: 12/16/2025 09:07 Prepped By: 4599 Specimen Wt: 1.00 g
Date Analyzed: 12/16/2025 19:56 Analyzed By: 2670-10866 Instrument: LCMSMS

Lab Batch: 2551027

Pass

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Total Sample Received:

Total Units Received: 1

Date Sampled: 12/15/2025

Date Received: 12/15/2025

Date Reported: 12/21/2025

Pass**Microbials**

Date Prepared: 12/16/2025 10:14 Prep ID: 1093 Specimen Wt: 1.00 g
Date Analyzed: 12/16/2025 16:37 Analyst ID: 1093 Instrument: qPCR

Lab Batch: 2551039

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g		
Staphylococcus Aureus	1.00	1	Absent in 1 gram	Pass
Salmonella	1.00	1	Absent in 1 gram	Pass
Enterobacteriaceae	1.00	1	Absent in 1 gram	Pass
E.coli	1.00	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	100000	10000	<LOD	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Date Prepared: 12/15/2025 17:57 Prepped By: 1094 Specimen Wt: 0.54 g
Date Analyzed: 12/16/2025 12:42 Analyzed By: 10198 Instrument: ICPMS
Lab Batch: 2551023 Prep Method: SOP 1362 Analysis Method: SOP1358

Pass

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50.0	ND	Pass
Lead	1	500	50.0	93.4	Pass
Mercury	1	3000	300	ND	Pass
Total				93.40	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Date Prepared: 12/15/2025 14:53 Prep ID: 3780 Instrument: Visual Inspection
Date Analyzed: 12/15/2025 15:00 Analyst ID: 3780

Lab Batch: 2551019 Analysis Method: SOP1359

Pass

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Date Prepared: 12/15/2025 15:00 Prep ID: 3780 Specimen Wt: 0.50 g
Date Analyzed: 12/15/2025 15:00 Analyst ID: 3780 Instrument: Water Activity Meter

Lab Batch: 2551019 Analysis Method: SOP1355

Pass

Analyte	Action Limit	Result	Status
Water Activity	aW	aW	

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com


Brian C. Spann
Laboratory Director



Sunmed

Client Lic#:
600 8th Ave W, STE 500 Palmetto, FL
34221

Sunmed

Compliance for Retail: **PASS****GLP-1 Powder Capsule**

Total Sample Received:
Total Units Received: 1

Date Sampled: 12/15/2025
Date Received: 12/15/2025
Date Reported: 12/21/2025

Sample ID: T5L0527-01 CCB ID: 1225GLP1

Matrix: Edibles

Residual Solvents**Pass**

Date Prepared: 12/15/2025 13:00 Prep ID: 12247
Date Analyzed: 12/15/2025 18:12 Analyst ID: 11083
Lab Batch: 2551014

Specimen Wt: 0.05 g
Instrument: GCMSMS Headspace
Analysis Method: SOP1361

Analyte	DIL	Action Limit	LOD	Results	Status
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA
Testing

Accreditation #116557