


**Sunmed**

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed

Compliance for Retail: **PASS**



**Anytime Peach Full Spectrum 10124PCFS**

Total Sample Received:  
Total Units Received: 1

Date Sampled: 12/11/2024  
Date Received: 12/11/2024  
Date Reported: 12/18/2024

Sample ID: T412289-01  
Matrix: Edibles

**Safety Summary**

<b>Foreign Materials</b> <b>PASS</b>	<b>Heavy Metals</b> <b>PASS</b>	<b>Microbials</b> <b>PASS</b>	<b>Moisture Content</b> <b>NOT TESTED</b>	<b>Mycotoxins</b> <b>PASS</b>
<b>Pesticides</b> <b>PASS</b>	<b>Residual Solvents</b> <b>PASS</b>	<b>Terpenes</b> <b>NOT TESTED</b>	<b>Water Activity</b> <b>PASS</b>	<b>Vitamins Supplements</b> <b>NOT TESTED</b>

**Potency Summary**

**Cannabinoids**

Date Prepared: 12/12/2024 08:58    Prep ID: 4599    Specimen Wt: 5.930 g  
Date Analyzed: 12/16/2024 12:49    Analyst ID: 5047    Instrument: HPLC VWD  
Lab Batch: 2450081    Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving mg/Unit	
			%	mg
Cannabichromene (CBC)	1	0.00735	0.42	N/A
Cannabidiol (CBD)	10	0.441	26.2	N/A
Cannabidiolic acid (CBDA)	1	ND	ND	N/A
Cannabidivarin (CBDV)	1	ND	ND	N/A
Cannabigerol (CBG)	1	ND	ND	N/A
Cannabigerolic acid (CBGA)	1	ND	ND	N/A
Cannabinol (CBN)	1	0.00329	0.18	N/A
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	ND	N/A
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.00780	0.47	N/A
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	ND	N/A
Tetrahydrocannabivarin (THCV)	1	ND	ND	N/A
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	ND	N/A
<b>Total THC</b>		<b>0.0078</b>	<b>0.463</b>	<b>0.000</b>
<b>Total CBD</b>		<b>0.441</b>	<b>26.2</b>	<b>0.000</b>
<b>Total Cannabinoids</b>		<b>0.459</b>	<b>27.2</b>	<b>0.000</b>

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.  
mg/Unit = Unit Weight g \* Total THC/CBD mg/g  
LOD = Limit of Detection; ND = Not Detected.  
Serving Size: 5.93 g  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com


Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

**Sunmed**

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221



Sunmed

Compliance for Retail: **PASS**

**Anytime Peach Full Spectrum 10124PCFS**

Total Sample Received: Total Units Received: 1

Date Sampled: 12/11/2024  
Date Received: 12/11/2024  
Date Reported: 12/18/2024

Sample ID: T412289-01  
Matrix: Edibles

**Pesticides**

**Pass**

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2450155	LCMSMS	12/17/2024 6:32:27AM	2670-0754	12/16/2024 3:04:00PM	4599	5.88	SOP1350
* Pesticides GCQQQ	2450156	GCMSMS	12/17/2024 6:51:32AM	0754-2670	12/16/2024 3:05:00PM	4599	5.88	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
		ppb	ppb	ppb				ppb	ppb	ppb	
Abamectin	1	300	30	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acephate	1	3000	300	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Malathion	1	2000	200	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Aldicarb	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin	1	500	50	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Boscalid	1	3000	300	ND	Pass	Naled	1	500	50	ND	Pass
Carbaryl	1	500	50	ND	Pass	Oxamyl	1	500	50	ND	Pass
Carbofuran	1	100	10	ND	Pass	Pacllobutrazol	1	100	10	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chloromequat Chloride	1	3000	300	ND	Pass	Phosmet	1	200	20	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	500	50	ND	Pass	Prallethrin	1	400	40	ND	Pass
Coumaphos	1	100	10	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propoxur	1	100	10	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Daminozide	1	100	10	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Diazinon	1	200	20	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Etoxazole	1	1500	150	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fenpyroximate	1	2000	200	ND	Pass	Captan*	1	3000	300	ND	Pass
Fipronil	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Fonicamid	1	2000	200	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Pentachloronitrobenzene*	1	200	20	ND	Pass
Imazalil	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
\* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terpliflabs.com

Brian C. Spann  
Laboratory Director




The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

**Sunmed**

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed

Compliance for Retail: **PASS**



**Anytime Peach Full Spectrum 10124PCFS**

Total Sample Received: Total Units Received: 1

Date Sampled: 12/11/2024  
Date Received: 12/11/2024  
Date Reported: 12/18/2024

Sample ID: T412289-01  
Matrix: Edibles

**Mycotoxins**

Date Prepared: 12/16/2024 15:04 Prepped By: 4599 Specimen Wt: 5.88 g  
Date Analyzed: 12/17/2024 06:32 Analyzed By: 2670-0754 Instrument: LCMSMS  
Lab Batch: 2450155 Prep Method: SOP 1363 Analysis Method: SOP 1350

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
Aflatoxin B1	1	20.0 ppb	2 ppb	ND	Pass
Aflatoxin B2	1	20.0 ppb	2 ppb	ND	Pass
Aflatoxin G1	1	20.0 ppb	2 ppb	ND	Pass
Aflatoxin G2	1	20.0 ppb	2 ppb	ND	Pass
Ochratoxin A	1	20.0 ppb	2 ppb	ND	Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Microbials**

Date Prepared: 12/12/2024 15:10 Prepped By: 1093 Specimen Wt: 1.00 g  
Date Analyzed: 12/13/2024 10:22 Analyzed By: 1093 Instrument: qPCR  
Lab Batch: 2450090 Analysis Method: SOP1353/1364/1352

**Pass**

Analyte	Action Limit	LOD	Results	Status
Staphylococcus Aureus	1 cfu/g	1 cfu/g	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Enterobacteriaceae	1	1	Absent in 1 gram	Pass
E.coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	100000	10000	<LOD	Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Foreign Materials**

Date Prepared: 12/16/2024 12:45 Prepped By: 1150 Instrument: Visual Inspection  
Date Analyzed: 12/16/2024 17:06 Analyzed By: 3780  
Lab Batch: 2451011 Analysis Method: SOP1359

**Pass**

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Heavy Metals**

Date Prepared: 12/12/2024 12:00 Prepped By: 1094 Specimen Wt: 0.63 g  
Date Analyzed: 12/12/2024 18:37 Analyzed By: 1094 Instrument: ICPMS  
Lab Batch: 2450096 Prep Method: SOP 1362 Analysis Method: SOP1358

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
Arsenic	1	1500 ppb	150 ppb	ND	Pass
Cadmium	1	500 ppb	50.0 ppb	ND	Pass
Lead	1	500 ppb	50.0 ppb	ND	Pass
Mercury	1	3000 ppb	300 ppb	ND	Pass
<b>Total</b>				0.00	

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Water Activity**

Date Prepared: 12/16/2024 15:54 Prepped By: 1150 Specimen Wt: 1.08 g  
Date Analyzed: 12/16/2024 15:54 Analyzed By: 3780 Instrument: Water Activity Meter  
Lab Batch: 2451011 Analysis Method: SOP1355

**Pass**

Analyte	Action Limit	Result	Status
Water Activity	0.85 aW	0.61 aW	Pass

ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director




The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

**Sunmed**

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed



Compliance for Retail: **PASS**

**Anytime Peach Full Spectrum 10124PCFS**

Total Sample Received:  
Total Units Received: 1

Date Sampled: 12/11/2024  
Date Received: 12/11/2024  
Date Reported: 12/18/2024

Sample ID: T412289-01  
Matrix: Edibles

**Residual Solvents**

**Pass**

Date Prepared: 12/17/2024 15:00    Prep ID: 2447    Specimen Wt: 0.05 g  
Date Analyzed: 12/17/2024 18:07    Analyst ID: 2447    Instrument: GCMSMS Headspace  
Lab Batch: 2451036    Analysis Method: SOP1361

Analyte	DIL	Action Limit	LOD	Results	Status
1,1-Dichloroethene	1	ppm 8.00	ppm 0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	3,240	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terpliflabs.com

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)