

Sunmed

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed



Compliance for Retail: **PASS**

D8 Max Strength Assorted

Total Sample Received: 209g
Total Units Received: 1

Date Sampled: 02/25/2025
Date Received: 02/25/2025
Date Reported: 03/05/2025

Sample ID: T5B0497-01 CCB ID:0225D8MAX
Matrix: Edibles

Safety Summary

| | | | | |
|---|---|----------------------------------|--|--|
| Foreign Materials PASS | Heavy Metals PASS | Microbials PASS | Moisture Content NOT TESTED | Mycotoxins PASS |
| Pesticides PASS | Residual Solvents PASS | Terpenes TESTED | Water Activity PASS | Vitamins Supplements NOT TESTED |

Potency Summary

Cannabinoids

Date Prepared: 02/25/2025 09:31 Prep ID: ECB Specimen Wt: 5.972 g
Date Analyzed: 02/25/2025 12:21 Analyst ID: 5047 Instrument: HPLC VWD
Lab Batch: 2509029 Prep/Analysis Method: SOP 1357

| Analyte | Dilution | Results | mg/Serving | mg/Unit |
|---|----------|---------------|--------------|--------------|
| | | % | mg | mg |
| Cannabichromene (CBC) | 1 | ND | ND | N/A |
| Cannabidiol (CBD) | 1 | ND | ND | N/A |
| Cannabidiolic acid (CBDA) | 1 | ND | ND | N/A |
| Cannabidivarin (CBDV) | 1 | ND | ND | N/A |
| Cannabigerol (CBG) | 1 | ND | ND | N/A |
| Cannabigerolic acid (CBGA) | 1 | ND | ND | N/A |
| Cannabinol (CBN) | 1 | ND | ND | N/A |
| d8 - Tetrahydrocannabinoid (d8-THC) | 10 | 0.517 | 28.4 | N/A |
| d9 - Tetrahydrocannabinoid (d9-THC) | 1 | 0.0277 | 1.52 | N/A |
| d9 - Tetrahydrocannabinolic acid (THCA) | 1 | ND | ND | N/A |
| Tetrahydrocannabivarin (THCV) | 1 | ND | ND | N/A |
| Total THC | | 0.0277 | 1.52 | 0.000 |
| Total CBD | | 0.0000 | 0.000 | 0.000 |
| Total Cannabinoids | | 0.544 | 29.9 | 0.000 |

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.
mg/Unit = Unit Weight g * Total THC/CBD mg/g
LOD = Limit of Detection; ND = Not Detected.
Serving Size: 5.5 g

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Sunmed

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed



Compliance for Retail: **PASS**

D8 Max Strength Assorted

Total Sample Received: 209g
Total Units Received: 1

Date Sampled: 02/25/2025
Date Received: 02/25/2025
Date Reported: 03/05/2025

Sample ID: T5B0497-01 CCB ID:0225D8MAX
Matrix: Edibles

Pesticides

Pass

| Prep Method: SOP 1363 | Batch | Instrument | Analyzed | Analyst | Prepped | Prepped By | Specimen Wt. (g) | Analysis SOP |
|-----------------------|---------|------------|----------------------|-----------|---------------------|------------|------------------|--------------|
| Pesticide LCQQQ | 2509132 | LCMSMS | 2/28/2025 11:37:33PM | 2670-0754 | 2/28/2025 9:15:00AM | 4599 | 6.03 | SOP1350 |
| * Pesticides GCQQQ | 2509133 | GCMSMS | 2/28/2025 4:44:19PM | 754 | 2/28/2025 9:20:00AM | 4599 | 6.03 | SOP1356 |

| Analyte | DIL | Action Limit | LOD | Results | Status | Analyte | DIL | Action Limi | LOD | Results | Status |
|-----------------------|-----|--------------|-----|---------|--------|--------------------------|-----|-------------|-----|---------|--------|
| | | ppb | ppb | ppb | | | | ppb | ppb | ppb | |
| Abamectin | 1 | 300 | 30 | ND | Pass | Imidacloprid | 1 | 3000 | 300 | ND | Pass |
| Acephate | 1 | 3000 | 300 | ND | Pass | Kresoxim-methyl | 1 | 1000 | 100 | ND | Pass |
| Acequinocyl | 1 | 2000 | 200 | ND | Pass | Malathion | 1 | 2000 | 200 | ND | Pass |
| Acetamiprid | 1 | 3000 | 300 | ND | Pass | Metalaxyl | 1 | 3000 | 300 | ND | Pass |
| Aldicarb | 1 | 100 | 10 | ND | Pass | Methiocarb | 1 | 100 | 10 | ND | Pass |
| Azoxystrobin | 1 | 3000 | 300 | ND | Pass | Methomyl | 1 | 100 | 10 | ND | Pass |
| Bifenazate | 1 | 3000 | 300 | ND | Pass | Mevinphos | 1 | 100 | 10 | ND | Pass |
| Bifenthrin | 1 | 500 | 50 | ND | Pass | Myclobutanil | 1 | 3000 | 300 | ND | Pass |
| Boscalid | 1 | 3000 | 300 | ND | Pass | Naled | 1 | 500 | 50 | ND | Pass |
| Carbaryl | 1 | 500 | 50 | ND | Pass | Oxamyl | 1 | 500 | 50 | ND | Pass |
| Carbofuran | 1 | 100 | 10 | ND | Pass | Paclbutrazol | 1 | 100 | 10 | ND | Pass |
| Chlorantraniliprole | 1 | 3000 | 300 | ND | Pass | Permethrin | 1 | 1000 | 100 | ND | Pass |
| Chloromequat Chloride | 1 | 3000 | 300 | ND | Pass | Phosmet | 1 | 200 | 20 | ND | Pass |
| Chlorpyrifos | 1 | 100 | 10 | ND | Pass | Piperonyl butoxide | 1 | 3000 | 300 | ND | Pass |
| Clofentezine | 1 | 500 | 50 | ND | Pass | Prallethrin | 1 | 400 | 40 | ND | Pass |
| Coumaphos | 1 | 100 | 10 | ND | Pass | Propiconazole | 1 | 1000 | 100 | ND | Pass |
| Cyfluthrin | 1 | 1000 | 100 | ND | Pass | Propoxur | 1 | 100 | 10 | ND | Pass |
| Cypermethrin | 1 | 1000 | 100 | ND | Pass | Pyrethrins | 1 | 1000 | 100 | ND | Pass |
| Daminozide | 1 | 100 | 10 | ND | Pass | Pyridaben | 1 | 3000 | 300 | ND | Pass |
| Diazinon | 1 | 200 | 20 | ND | Pass | Spinetoram, total | 1 | 3000 | 300 | ND | Pass |
| Dichlorvos | 1 | 100 | 10 | ND | Pass | Spinosad, total | 1 | 3000 | 300 | ND | Pass |
| Dimethoate | 1 | 100 | 10 | ND | Pass | Spiromesifen | 1 | 3000 | 300 | ND | Pass |
| Dimethomorph | 1 | 3000 | 300 | ND | Pass | Spirotetramat | 1 | 3000 | 300 | ND | Pass |
| Ethoprophos | 1 | 100 | 10 | ND | Pass | Spiroxamine | 1 | 100 | 10 | ND | Pass |
| Etofenprox | 1 | 100 | 10 | ND | Pass | Tebuconazole | 1 | 1000 | 100 | ND | Pass |
| Etoxazole | 1 | 1500 | 150 | ND | Pass | Thiacloprid | 1 | 100 | 10 | ND | Pass |
| Fenhexamid | 1 | 3000 | 300 | ND | Pass | Thiamethoxam | 1 | 1000 | 100 | ND | Pass |
| Fenoxycarb | 1 | 100 | 10 | ND | Pass | Trifloxystrobin | 1 | 3000 | 300 | ND | Pass |
| Fenpyroximate | 1 | 2000 | 200 | ND | Pass | Captan* | 1 | 3000 | 300 | ND | Pass |
| Fipronil | 1 | 100 | 10 | ND | Pass | Chlordane* | 1 | 100 | 10 | ND | Pass |
| Fonicamid | 1 | 2000 | 200 | ND | Pass | Chlorfenapyr* | 1 | 100 | 10 | ND | Pass |
| Fludioxonil | 1 | 3000 | 300 | ND | Pass | Methyl parathion* | 1 | 100 | 10 | ND | Pass |
| Hexythiazox | 1 | 2000 | 200 | ND | Pass | Pentachloronitrobenzene* | 1 | 200 | 20 | ND | Pass |
| Imazalil | 1 | 100 | 10 | ND | Pass | | | | | | |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpliflabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Sunmed

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed



Compliance for Retail: **PASS**

D8 Max Strength Assorted

Total Sample Received: 209g
Total Units Received: 1

Date Sampled: 02/25/2025
Date Received: 02/25/2025
Date Reported: 03/05/2025

Sample ID: T5B0497-01 CCB ID:0225D8MAX
Matrix: Edibles

Mycotoxins

Pass

Date Prepared: 02/28/2025 09:15 Prepped By: 4599 Specimen Wt: 6.03 g
Date Analyzed: 02/28/2025 23:37 Analyzed By: 2670-0754 Instrument: LCMSMS
Lab Batch: 2509132 Prep Method: SOP 1363 Analysis Method: SOP 1350

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------|-----|--------------|-------|---------|--------|
| Aflatoxin B1 | 1 | 20.0 ppb | 2 ppb | ND | Pass |
| Aflatoxin B2 | 1 | 20.0 ppb | 2 ppb | ND | Pass |
| Aflatoxin G1 | 1 | 20.0 ppb | 2 ppb | ND | Pass |
| Aflatoxin G2 | 1 | 20.0 ppb | 2 ppb | ND | Pass |
| Ochratoxin A | 1 | 20.0 ppb | 2 ppb | ND | Pass |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Pass

Date Prepared: 02/25/2025 14:18 Prep ID: 1093 Specimen Wt: 1.00 g
Date Analyzed: 02/26/2025 14:39 Analyst ID: 1093 Instrument: qPCR
Lab Batch: 2509047 Analysis Method: SOP1353/1364/1352

| Analyte | Action Limit | LOD | Results | Status |
|-----------------------|--------------|-------|------------------|--------|
| Staphylococcus Aureus | cfu/g | cfu/g | Absent in 1 gram | Pass |
| Salmonella | 1 | 1 | Absent in 1 gram | Pass |
| Enterobacteriaceae | 1 | 1 | Absent in 1 gram | Pass |
| E.coli | 1 | 1 | Absent in 1 gram | Pass |
| Total Yeast and Mold | 100000 | 10000 | ND | Pass |
| Standard Plate Count | 100000 | 10000 | <LOD | Pass |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

Date Prepared: 02/25/2025 16:17 Prepped By: 1094 Specimen Wt: 0.43 g
Date Analyzed: 02/27/2025 13:03 Analyzed By: 1094 Instrument: ICPMS
Lab Batch: 2509058 Prep Method: SOP 1362 Analysis Method: SOP1358

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------|-----|--------------|----------|---------|--------|
| Arsenic | 1 | 1500 ppb | 150 ppb | ND | Pass |
| Cadmium | 1 | 500 ppb | 50.0 ppb | ND | Pass |
| Lead | 1 | 500 ppb | 50.0 ppb | ND | Pass |
| Mercury | 1 | 3000 ppb | 300 ppb | ND | Pass |
| Total | | | | 0.00 | |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Pass

Date Prepared: 02/28/2025 13:33 Prep ID: 1150 Instrument: Visual Inspection
Date Analyzed: 02/28/2025 22:51 Analyst ID: 3780
Lab Batch: 2509144 Analysis Method: SOP1359

| Analyte | Action Limit (% by wt) | Results | Status |
|------------------|------------------------|---------|--------|
| Foreign Material | 1.00 | ND | Pass |
| Feces | 0.500 | ND | Pass |

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Pass

Date Prepared: 02/28/2025 22:51 Prep ID: 1150 Specimen Wt: 0.50 g
Date Analyzed: 02/28/2025 22:51 Analyst ID: 3780 Instrument: Water Activity Meter
Lab Batch: 2509144 Analysis Method: SOP1355

| Analyte | Action Limit | Result | Status |
|----------------|--------------|--------|--------|
| Water Activity | aW | aW | |
| | 0.85 | 0.70 | Pass |

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpliflabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Sunmed

Client Lic#: 600 8th Ave W, STE 500 Palmetto, FL 34221

Sunmed



Compliance for Retail: **PASS**

D8 Max Strength Assorted

Total Sample Received: 209g
Total Units Received: 1

Date Sampled: 02/25/2025
Date Received: 02/25/2025
Date Reported: 03/05/2025

Sample ID: T5B0497-01 CCB ID:0225D8MAX
Matrix: Edibles

Residual Solvents

Pass Terpenes Summary

Date Prepared: 03/03/2025 14:30 Prep ID: DH
Date Analyzed: 03/04/2025 14:52 Analysis ID: DH
Lab Batch: B25C002

Date Prepared: 02/28/2025 08:58 Prep ID: 4599
Date Analyzed: 03/02/2025 19:00 Analyzed ID: 2447
Lab Batch: 2509131

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------------|-----|--------------|-------|---------|--------|
| 1,1-Dichloroethene | 1 | ppm | ppm | ppm | |
| 1,2-Dichloroethane | 1 | 8.00 | 0.800 | ND | Pass |
| Acetone | 1 | 2.00 | 0.200 | ND | Pass |
| Acetonitrile | 1 | 750 | 75.0 | ND | Pass |
| Benzene | 1 | 60.0 | 6.00 | ND | Pass |
| Butane | 1 | 1.00 | 0.100 | ND | Pass |
| Chloroform | 1 | 5000 | 500 | ND | Pass |
| Ethanol | 1 | 2.00 | 0.200 | ND | Pass |
| Ethyl acetate | 1 | 5000 | 500 | 2,200 | Pass |
| Ethyl ether | 1 | 400 | 40.0 | ND | Pass |
| Ethylene oxide | 1 | 500 | 50.0 | ND | Pass |
| Heptane | 1 | 5.00 | 0.500 | ND | Pass |
| Hexane | 1 | 5000 | 500 | ND | Pass |
| Isopropyl alcohol | 1 | 250 | 25.0 | ND | Pass |
| Methanol | 1 | 500 | 50.0 | ND | Pass |
| Methylene chloride | 1 | 250 | 25.0 | ND | Pass |
| Pentane | 1 | 125 | 12.5 | ND | Pass |
| Propane | 1 | 750 | 75.0 | ND | Pass |
| Toluene | 1 | 5000 | 500 | ND | Pass |
| Xylenes, total | 1 | 150 | 15.0 | ND | Pass |
| Trichloroethylene | 1 | 25.0 | 2.50 | ND | Pass |

| Analyte | Dilution | LOD | Results |
|-----------------------------|----------|--------------|------------|
| D-Limonene | 1 | % | % |
| 3-Carene (+)- | 1 | 0.00208 | 0.00248 |
| alpha Bisabolol, L | 1 | 0.00208 | ND |
| alpha-Cedrene | 1 | 0.00208 | ND |
| alpha-Fenchyl alcohol, (+)- | 1 | 0.00208 | ND |
| alpha-Humulene | 1 | 0.00208 | ND |
| alpha-Phellandrene | 1 | 0.00208 | ND |
| alpha-Pinene | 1 | 0.00208 | ND |
| alpha-Terpinene | 1 | 0.00208 | ND |
| alpha-Terpineol | 1 | 0.00208 | ND |
| beta-Myrcene | 1 | 0.00208 | ND |
| beta-Ocimene | 1 | 0.00208 | ND |
| beta-Pinene | 1 | 0.00208 | ND |
| Borneol | 1 | 0.00208 | ND |
| Camphene | 1 | 0.00208 | ND |
| Camphor | 1 | 0.00208 | ND |
| Caryophyllene Oxide | 1 | 0.00208 | ND |
| Cedrol | 1 | 0.00208 | ND |
| E-Caryophyllene | 1 | 0.00208 | ND |
| E-Nerolidol | 1 | 0.00208 | ND |
| Eucalyptol | 1 | 0.00208 | ND |
| Farnesene | 1 | 0.00208 | ND |
| Fenchone | 1 | 0.00208 | ND |
| gamma-Terpinene | 1 | 0.00208 | ND |
| Geraniol | 1 | 0.00208 | ND |
| Geranyl Acetate | 1 | 0.00208 | ND |
| Guaiol | 1 | 0.00208 | ND |
| Isoborneol | 1 | 0.00208 | ND |
| Isopulegol | 1 | 0.00208 | ND |
| Linalool | 1 | 0.00208 | ND |
| Menthol | 1 | 0.00208 | ND |
| Nerol | 1 | 0.00208 | ND |
| p-Cymene | 1 | 0.00208 | ND |
| Pulegone | 1 | 0.00208 | ND |
| Sabinene | 1 | 0.00208 | ND |
| Sabinene hydrate | 1 | 0.00208 | ND |
| Terpinolene | 1 | 0.00208 | ND |
| Valencene | 1 | 0.00208 | ND |
| Z-Nerolidol | 1 | 0.00208 | ND |
| Total Terpenes | | 0.002 | N/A |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpene results are provided for informational purposes only.
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpliflabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)